



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

(pooled (specimens or samples or patients)) a

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - [Recent articles](#) Results 1 - 10 of about 4,630 for (pooled (specimens or samples or p

Did you mean: (pooled (specimens or samples *for* patients)) and ((*Taqman*) or (real time))

[... Nile Virus from Human Clinical Specimens, Field-Collected Mosquitoes, and Avian Samples by a TaqMan ...](#) - [►nih.gov \[HTML\]](#)

RS Lanciotti, AJ Kerst, RS Nasci, MS Godsey, CJ ... - Journal of Clinical Microbiology, 2000 - Am Soc Microbiol
 ... in hich a large number of samples (500) from a ... and Chris Happ (CDC) for mosquito pool preparation; Grant ... of Health) for providing human specimens for testing ...

[Cited by 378](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 6 versions](#)

[Real time TaqMan PCR detection and quantitation of HBV genotypes A–G with the use of an internal](#)

[...](#)
 J Weiss, H Wu, B Farrenkopf, T Schultz, G Song, S ... - Journal of Clinical Virology, 2004 - Elsevier
 ... DNA recovery enabling accurate quantitation of HBV DNA in each specimen. ... Samples from patients. ... were constructed by gravimetric measurement using a pool of HBV ...

[Cited by 53](#) - [Related articles](#) - [Web Search](#) - [All 5 versions](#)

[Quantification of Human Immunodeficiency Virus Type 1 Proviral Load by a TaqMan Real-Time PCR Assay](#)

N Desire, A Dehee, V Schneider, C Jacomet, C ... - Journal of Clinical Microbiology, 2001 - Am Soc Microbiol
 ... been quantified in only two lymphoid tissue biopsy specimens. ... processing of a large number of samples, the HIV ... Early establishment of a pool of latently infected ...

[Cited by 68](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 7 versions](#)

[Nucleic Acid Sequence-Based Amplification Assays for Rapid Detection of West Nile and St. Louis ...](#) - [►nih.gov \[HTML\]](#)

RS Lanciotti, AJ Kerst - Journal of Clinical Microbiology, 2001 - Am Soc Microbiol
 ... Gottfried, and Chris Happ for mosquito pool and avian ... Nile virus from human clinical specimens, field-collected mosquitoes, and avian samples by a ...

[Cited by 106](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 8 versions](#)

[Quantitative real-time RT-PCR detection of breast cancer micrometastasis using a multigene marker](#)

[...](#)
 M Mitas, K Mikhitarian, C Walters, PL Baron, BM ... - International Journal of Cancer, 2001 - doi.wiley.com
 ... Briefly, a single lymph node specimen was removed from 70 ... The fluorescence of each sample was re- corded as ... and added to cDNA prepared from pooled normal lymph ...

[Cited by 150](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 6 versions](#)

[... -Based Real-Time PCR TaqMan Assay for Detection of Chlamydia pneumoniae DNA in Respiratory Specimens ...](#) - [►nih.gov \[HTML\]](#)

P Apfalter, W Barousch, M Nehr, A Makristathis, B ... - Journal of Clinical Microbiology, 2003 - Am Soc Microbiol
 ... our routine microbiology laboratory were pooled, centrifuged at ... were assessed with respiratory specimens from 45 ... with these unknown clinical samples were less ...

[Cited by 41](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 5 versions](#)